

Elevated side-lying bottle feeding

Written by Stacey Zimmels, Speech and Language Therapist & IBCLC

References.

Clark L, Kennedy G, Pring T and Hird M (2007) Improving Bottle Feeding in Preterm Infants: Investigating the Elevated Side-lying Position. *Infant*. Vol 3, Issue 4, pp154-158

Ewer AK, James ME and Tobin JM (1999) Prone and left lateral positioning reduce gastro-oesophageal reflux in preterm infants. *Archives of Disease in Childhood - Fetal and Neonatal Edition*. 81:F201-F205.

Girgin BA, Gözen D, and Karatekin, G (2018) Effects of Two Different Feeding Positions on Physiological Characteristics and Feeding Performance of Preterm Infants: A Randomized Controlled Trial. *Journal for Specialists in Pediatric Nursing*. Vol 23, No2, pp e12214

Park J, Thoyre S, Knafel GJ, Hodges EA and Nix WB (2014) Efficacy of Semielevated Side-Lying Positioning During Bottle Feeding of Very Preterm Infants. *Journal of Perinatal & Neonatal Nursing*. Vol 28, No 1, pp 69-79

Raczyńska, A and Gulczyńska, E (2019) The Impact of Positioning on Bottle-feeding in Preterm Infants (≤ 34 GA). A Comparative Study of the Semi-elevated and the Side-lying position - a Pilot Study. *Developmental Period Medicine*. Vol 23, No 2, pp 117-124

Ross ES and Philbin K (2011) Supporting Oral Feeding in Fragile Infants. *Journal of Perinatal & Neonatal Nursing*. Vol 25, No 4, pp 349- 357